

L Number	Hits	Search Text	DB	Time stamp
-	6937	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4)) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission))) near2 writ\$4 sav\$3 alter\$4 modify\$4 modification copy\$3 copi\$4 transmission transmit\$4) near2 (data information file document)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 12:53
-	1131582	(public first) with (index or value element coefficient) snd (private secret second) with (index or value element coefficient)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:01
-	717426	(public first) with (index or value element coefficient) and (private secret second) with (index or value element coefficient)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:01
-	26	(public ((first) adj key)) with (index or value element coefficient) same (list table) same random and (private secret ((second) adj key)) with (index or value element coefficient) same (list table) same random	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:35
-	25	input\$4 near2 (value element random number integer) near2 (public ((first) adj key)) with (private secret ((second) adj key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:43
-	474	input\$4 near2 (value element random number integer) near2 (public private secret ((first) adj key)) with (private secret public ((second) adj key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:42
-	1	((public ((first) adj key)) with (index or value element coefficient) same (list table) same random and (private secret ((second) adj key)) with (index or value element coefficient) same (list table) same random) and (input\$4 near2 (value element random number integer) near2 (public ((first) adj key)) with (private secret ((second) adj key)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:40
-	2	((public ((first) adj key)) with (index or value element coefficient) same (list table) same random and (private secret ((second) adj key)) with (index or value element coefficient) same (list table) same random) and (input\$4 near2 (value element random number integer) near2 (public private secret ((first) adj key)) with (private secret public ((second) adj key)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:40
-	1613	(input\$4 enter\$4 using use) near2 (value element random number integer) near2 (public private secret ((first) adj key)) with (private secret public ((second) adj key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:43
-	117	input\$4 using use enter\$3) near2 (value element random number integer) near2 (public ((first) adj key)) with (private secret ((second) adj key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:44

-	121	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4)) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission))) near2 (writ\$4 sav\$3 alter\$4 modify\$4 modification copy\$3 copi\$4 transmission transmit\$4) near2 (data information file document))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 19:00
-	0	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4)) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission))) near2 (writ\$4 sav\$3 alter\$4 modify\$4 modification copy\$3 copi\$4 transmission transmit\$4) near2 (data information file document))) and ((input\$4 using use enter\$3) near2 (value element random number integer) near2 (public ((first) adj key)) with (private secret ((second) adj key)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:49
-	0	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4)) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission))) near2 (writ\$4 sav\$3 alter\$4 modify\$4 modification copy\$3 copi\$4 transmission transmit\$4) near2 (data information file document))) and (input\$4 near2 (value element random number integer) near2 (public private secret ((first) adj key)) with (private secret public ((second) adj key)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:49
-	46	(medical near2 (record document file)) with (protect\$3 control\$4) with (deliver\$3 transmission transmit\$4 send\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 14:13
-	152	((medical secur\$3) near2 (record document file)) with (protect\$3 control\$4) with (deliver\$3 transmission transmit\$4 send\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 15:17
-	45	"5131039"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 10:30
-	25	plaintext same (length value) same blocks and ((input\$4 enter\$4 using use generat\$3 select\$4) near2 (value element random number integer) near2 (public private secret ((first second) adj key))) same (algorithm function)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 10:44
-	61	(plaintext file document record) same (length value) same block and ((input\$4 enter\$4 using use generat\$3 select\$4) with (value element random number integer) with (((public with (private secret)) or ((first adj key) with (second adj key))))) same (algorithm function))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 11:55
-	7	(generat\$4) near2 (number random value integer) with (input\$4 enter\$4 using use select\$4) near2 (number random value integer) with (first adj key) with (second adj key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 12:03

-	27	(generat\$4 obtain\$4 select\$4) near2 (number random value integer element) with (input\$4 enter\$4 using use select\$4) near2 (number random value integer) with (first adj key) with (second adj key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 12:10
-	20	((generat\$4 obtain\$4 select\$4) near2 (number random value integer element) with (input\$4 enter\$4 using use select\$4) near2 (number random value integer) with (first adj key) with (second adj key)) not ((generat\$4) near2 (number random value integer) with (input\$4 enter\$4 using use select\$4) near2 (number random value integer) with (first adj key) with (second adj key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 12:04
-	29	(generat\$4 obtain\$4 select\$4 deriv\$4) near2 (number random value integer element) with (input\$4 enter\$4 using use select\$4 deriv\$4) near2 (number random value integer) with (first adj key) with (second adj key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 12:13
-	2	((generat\$4 obtain\$4 select\$4 deriv\$4) near2 (number random value integer element) with (input\$4 enter\$4 using use select\$4 deriv\$4) near2 (number random value integer) with (first adj key) with (second adj key)) not ((generat\$4 obtain\$4 select\$4) near2 (number random value integer element) with (input\$4 enter\$4 using use select\$4) near2 (number random value integer) with (first adj key) with (second adj key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 12:12
-	1891	(generat\$4 obtain\$4 select\$4 deriv\$4) same (number random value integer element) same (input\$4 enter\$4 using use select\$4 deriv\$4) same (number random value integer) with ((first adj key) (public)) with ((second adj key) or (private secret))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 12:14
-	28	((generat\$4 obtain\$4 select\$4 deriv\$4) same (number random value integer element) same (input\$4 enter\$4 using use select\$4 deriv\$4) same (number random value integer) with ((first adj key) (public)) with ((second adj key) or (private secret))) same (xor\$3 exclusive\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 12:15
-	18	(US-6289102-\$ or US-6347846-\$ or US-6370546-\$ or US-6418457-\$ or US-6523113-\$ or US-6591289-\$ or US-6590845-\$ or US-6011849-\$ or US-5131039-\$ or US-6535607-\$ or US-6351539-\$ or US-5799088-\$ or US-5734720-\$).did. or (US-20030115324-\$ or US-20030041244-\$ or US-20020124177-\$ or US-20020061105-\$).did. or (WO-249266-\$).did.	USPAT; US-PGPUB; EPO	2004/07/26 18:30
-	1	((US-6289102-\$ or US-6347846-\$ or US-6370546-\$ or US-6418457-\$ or US-6523113-\$ or US-6591289-\$ or US-6590845-\$ or US-6011849-\$ or US-5131039-\$ or US-6535607-\$ or US-6351539-\$ or US-5799088-\$ or US-5734720-\$).did. or (US-20030115324-\$ or US-20030041244-\$ or US-20020124177-\$ or US-20020061105-\$).did. or (WO-249266-\$).did.) and (output near algorithm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 18:31

-	13	((US-6289102-\$ or US-6347846-\$ or US-6370546-\$ or US-6418457-\$ or US-6523113-\$ or US-6591289-\$ or US-6590845-\$ or US-6011849-\$ or US-5131039-\$ or US-6535607-\$ or US-6351539-\$ or US-5799088-\$ or US-5734720-\$).did. or (US-20030115324-\$ or US-20030041244-\$ or US-20020124177-\$ or US-20020061105-\$).did. or (WO-249266-\$).did.) and (output with algorithm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 18:31
-	2	((US-6289102-\$ or US-6347846-\$ or US-6370546-\$ or US-6418457-\$ or US-6523113-\$ or US-6591289-\$ or US-6590845-\$ or US-6011849-\$ or US-5131039-\$ or US-6535607-\$ or US-6351539-\$ or US-5799088-\$ or US-5734720-\$).did. or (US-20030115324-\$ or US-20030041244-\$ or US-20020124177-\$ or US-20020061105-\$).did. or (WO-249266-\$).did.) and (output with algorithm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 18:34
-	2796	output near algorithm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 18:34
-	7	(output near algorithm) and key with (append\$3 attach\$3 embed\$4) with (file document record image)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 18:38
-	104	(output with algorithm) and ((key secret private (public adj key)) with (append\$3 attach\$3 embed\$4 integrat\$4) with (file document record image))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 18:39
-	6	(output with algorithm) and ((key secret private (public adj key)) with (append\$3 attach\$3 embed\$4 integrat\$4) with (file document record image)) and (decrypt\$4 with key with algorithm with (append\$3 attach\$3 embed\$4 integrat\$4 together))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 18:41
-	20	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4)) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission))) near2 (send\$4 transmission transmit\$4) near2 (data information file document))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 19:01
-	24	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4)) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission))) near2 (send\$4 transmission transmit\$4) near2 (data information file document))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 19:05
-	43	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4)) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission))) near3 (send\$4 transmission transmit\$4) near2 (data information file document graphic image plaintext))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 19:08

-	19	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4)) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission))) near3 (send\$4 transmission transmit\$4) near2 (data information file document graphic image plaintext))) not ((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4)) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission))) near2 (send\$4 transmission transmit\$4) near2 (data information file document)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 19:06
-	104	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4)) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission))) with (send\$4 transmission transmit\$4) near2 (data information file document graphic image plaintext)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 19:09
-	434	((allow\$4 permit\$4 capable) with(display\$4 view\$4 read\$4)) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission))) with (send\$4 transmission transmit\$4) near2 (data information file document graphic image plaintext)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 19:09
-	66	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4)) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission))) with (send\$4 transmission transmit\$4) near2 (data information file document graphic image plaintext))) not ((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4)) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission))) near3 (send\$4 transmission transmit\$4) near2 (data information file document graphic image plaintext)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 19:09
-	2	((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4)) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission))) with (send\$4 transmission transmit\$4) near2 (data information file document graphic image plaintext))) not ((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4)) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or (("not" "no") adj (allow\$3 permit\$4 permission))) near3 (send\$4 transmission transmit\$4) near2 (data information file document graphic image plaintext))) and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 19:10

-	32	((allow\$4 permit\$4 capable) with(display\$4 view\$4 read\$4)) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or ("not" "no") adj (allow\$3 permit\$4 permission))) with (send\$4 transmission transmit\$4) near2 (data information file document graphic image plaintext))) not (((allow\$4 permit\$4 capable) near2 (display\$4 view\$4 read\$4)) same ((prevent\$3 restrict\$4 prohibit\$4 deny\$4 denial inhibit\$4 refus\$3 or ("not" "no") adj (allow\$3 permit\$4 permission))) near3 (send\$4 transmission transmit\$4) near2 (data information file document graphic image plaintext))) and decrypt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 19:28
-	2	5799088.pn. and (provid\$4 send\$4 transmit\$5 transmission receiv\$4) with private	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 20:48
-	67	"5809145"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 20:50
-	2	5809145.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 20:50